

WHAT IS CLAIMED IS:

1. A multilayer structure comprising
  - (A) a fabric and
  - 5 (B) a polymeric layer comprising a substantially random interpolymer comprising in polymerized form i) one or more  $\alpha$ -olefin monomers and ii) one or more vinyl or vinylidene aromatic monomers and/or one or more sterically hindered aliphatic or cycloaliphatic vinyl or vinylidene monomers, and optionally iii) other polymerizable ethylenically unsaturated monomer(s); layer (B) being free from a substantial amount of tackifier.
- 10 2. A multilayer structure of claim 1 wherein the fabric (A) is a woven or non-woven fabric made of natural or man-made fibers.
3. The multilayer structure of claim 1 wherein the fabric (A) is made of textile fibers.
4. The multilayer structure of claim 3 wherein the textile fibers are made of wool,  
15 cotton, silk, linen, regenerated cellulose, cellulose acetate, a polyamide, an acrylonitrile homo- or copolymer, a polyethylene glycol terephthalate, a polyester, a polyolefin, or a mixture thereof.
5. The multilayer structure of claim 1 wherein the fabric (A) is made of industrial fibers.
6. The multilayer structure of claim 5 wherein the industrial fibers are made of glass,  
20 boron, carbon, aromatic polyamide, silicon carbide or a mixture thereof.
7. The multilayer structure of claim 1 wherein the fabric (A) is smooth and tightly woven.
8. The multilayer structure of claim 7 wherein an adhesive layer is located between the fabric (A) and the polymeric layer (B).
- 25 9. The multilayer structure of claim 8 wherein the adhesive is a combination of I) an ethylene polymer having grafted thereto an unsaturated carboxylic acid or an anhydride, ester, amide, imide or metal salt thereof and II) an isocyanate compound or isocyanate prepolymer.

10. The multilayer structure of claim 1 wherein the fabric (A) is non-woven, roughened or loosely woven.

11. The multilayer structure of claim 10 wherein no adhesive layer is located between the fabric (A) and the polymeric layer (B).

5 12. The multilayer structure of Claim 1 wherein said substantially random interpolymer contains interpolymerized

(i) from about 35 to about 99.5 mole percent of one or more  $\alpha$ -olefin monomers and

10 (ii) from about 65 to about 0.5 mole percent of one or more vinyl or vinylidene aromatic monomers and/or one or more sterically hindered aliphatic or cycloaliphatic vinyl or vinylidene monomers, and

optionally iii) other polymerizable ethylenically unsaturated monomer(s).

13. The multilayer structure of Claim 1 wherein said substantially random interpolymer contains interpolymerized

15 (i) from about 55 to about 95 mole percent of one or more  $\alpha$ -olefin monomers and

(ii) from about 5 to about 45 mole percent of one or more vinyl or vinylidene aromatic monomers and/or one or more sterically hindered aliphatic or cycloaliphatic vinyl or vinylidene monomers, and

20 optionally iii) other polymerizable ethylenically unsaturated monomer(s).

14. The multilayer structure of Claim 1 wherein said substantially random interpolymer has a melt index  $I_2$  of from about 0.1 to about 10 g/10 minutes.

15. The multilayer structure of Claim 1 wherein said substantially random interpolymer is an interpolymer of ethylene and styrene or an interpolymer of ethylene, styrene  
25 and at least one  $\alpha$ -olefin containing from 3 to 8 atoms.

16. The multilayer structure of Claim 1 wherein the polymeric layer (B) comprises up to about 40 weight percent of one or more further polymeric components, based on the total weight of the polymeric layer (B).

17. The multilayer structure of Claim 16 wherein said one or more further polymeric components are selected from the group consisting of monovinyl aromatic polymers, monovinylidene aromatic polymers, styrenic block copolymers and homopolymers, interpolymers of aliphatic  $\alpha$ -olefins having from 2 to 20 carbon atoms, interpolymers of  $\alpha$ -olefins having from 2 to 20 carbon atoms and containing polar groups, and blends thereof.

18. The multilayer structure of Claim 16 wherein said one or more further polymeric components are selected from the group consisting of substantially linear olefin polymers, ethylene-vinyl acetate polymers, low density polyethylenes, linear low density polyethylenes, medium density polyethylenes and high density polyethylenes.

19. The multilayer structure of Claim 16 wherein said further polymeric component is a propylene homopolymer or interpolymers.

20. The multilayer structure of Claim 16 wherein said further polymeric component is a low density polyethylene.

21. A method of producing the multilayer structure of Claim 1 which comprises the step of fixing a polymeric layer comprising a substantially random interpolymers comprising in polymerized form i) one or more  $\alpha$ -olefin monomers and ii) one or more vinyl or vinylidene aromatic monomers and/or one or more sterically hindered aliphatic or cycloaliphatic vinyl or vinylidene monomers, and optionally iii) other polymerizable ethylenically unsaturated monomer(s) to a fabric.

22. The method of claim 21 wherein said polymeric layer is fixed to said fabric by means of heat lamination, sinter coating, calendaring or extrusion coating.

23. Water-impermeable goods made of the multilayer structure of Claim 1.

24. The water-impermeable goods of claim 23 selected from the group consisting of water-impermeable clothes, tablecloths, tents, water-impermeable covers, conveyer belts, textile constructions, wall coverings, roofing materials, curtains, banners, inflatable goods, artificial leather, container bags, upholstery, shoes, purses or handbags.